## Institution Name: Indian Hills Community College

## **Program Type: Radiography Program**

## **Degree Type: Associate of Applied Science**

## **Program Effectiveness Data**

The following is the most current program effectiveness data. Our programmatic accreditation agency, the Joint Review Committee on Education in Radiologic Technology (JRCERT), defines and publishes this information. The information can be found directly on the JRCERT webpage.

**Credentialing Examination:** The number of students who pass, on the first attempt, the American Registry of Radiologic Technologists (ARRT) certification examination, or an unrestricted state licensing examination, compared with the number of graduates who take the examination within six months of graduation. The five-year average benchmark established by the JRCERT is 75%.

Credentialing Examination Rate	number passed on 1 <sup>st</sup> attempt divided by number attempted within 6 months of graduation
Year	Results
Year 1 - 2020	17 of 17 - 100%
Year 2 - 2021	21 of 23 - 91%
Year 3 - 2022	21 of 26 - 81%
Year 4 - 2023	28 of 28 - 100%
Year 5 - 2024	17 of 17 - 100%
Program 5-Year Average	104 of 111 - 94%

**Job Placement:** The number of graduates employed in the radiologic sciences compared to the number of graduates actively seeking employment in the radiologic sciences within twelve months of graduating. The five-year average benchmark established by the JRCERT is 75%.

Job Placement Rate	number employed divided by number actively seeking employment within 12 months of graduation
Year	Results
Year 1 - 2020	17 of 17 - 100%
Year 2 - 2021	23 of 23 - 100%
Year 3 - 2022	24 of 24 - 100%
Year 4 - 2023	28 of 28 - 100%
Year 5 - 2024	17 of 17 - 100%
Program 5-Year Average	109 of 109 - 100%

**Program Completion:** The number of students who complete the program within the stated program length. The annual benchmark established by the program is 75%.

Program Completion Rate	number graduated divided by number started the program
Year	Results
Year 1 - 2024	17 of 20
Annual Completion Rate	85%